MARK E. SOUDER
3RD DISTRICT, INDIANA

**GOVERNMENT REFORM COMMITTEE** 

SUBCOMMITTEE ON CRIMINAL JUSTICE, DRUG POLICY AND HUMAN RESOURCES CHAIRMAN

RESOURCES COMMITTEE

SELECT COMMITTEE ON HOMELAND SECURITY

SPEAKER'S DRUG TASK FORCE Co-Chairman

## Congress of the United States House of Representatives

Washington, DC 20515

March 16, 2006

WASHINGTON OFFICE: 2231 RAYBURN HOUSE OFFICE BUILDING WASHINGTON, DC 20515 (202) 225–4436

DISTRICT OFFICES:

E. ROSS ADAIR FEDERAL BUILDING 1300 SOUTH HARRISON STREET, ROOM 3105 FORT WAYNE, IN 46802 (260) 424–3041 (800) 959–3041 FAX: (260) 424–4042

FIRST SOURCE BANK BUILDING 102 WEST LINCOLN AVENUE, SUITE 250 GOSHEN, IN 46526 (574) 533-5802 (800) 959-3041

> THE BOATHOUSE 700 PARK AVENUE, SUITE D WINONA LAKE, IN 46590 (574) 269–1940 (800) 959–3041

www.house.gov/souder

The Honorable Ralph Regula Chairman Subcommittee on Labor, HHS, Education and Related Agencies Committee on Appropriations 2358 Rayburn House Office Building Washington, DC 20515 The Honorable David R. Obey
Ranking Member
Subcommittee on Labor, HHS, Education
and Related Agencies
Committee on Appropriations
1016 Longworth House Office Building
Washington DC 20515

Dear Chairman Regula and Ranking Member Obey:

We are writing to express our strong support for \$400 million for the State Grants portion of the Safe and Drug Free Schools and Communities (SDFSC) program, eliminated in the President's FY 2007 budget recommendation. This amount reflects last year's House-passed funding level.

As you are aware, SDFSC is the federal government's primary initiative to prevent drug use in and around schools. It is currently used by 97% of the nation's school districts and serves more than 37 million youth per year.

We have now established a clear link between the academic achievement of our nation's children and the prevention of substance use in schools. The 2002 National Household Survey on Drug Abuse Report entitled *Marijuana Among Youths* substantiated the connection between substance abuse and academic performance, noting that youths with an average grade of D or below were more than four times as likely to have used marijuana in the past year as youths with an average grade of A. Additionally, a recent study by the University of Washington found that students who use alcohol or other drugs are up to five times more likely to drop out of school.

The SDFSC program is the backbone of youth drug prevention and intervention efforts and has contributed to the 19% decline in drug use over the past four years. We have seen in our communities that the SDFSC money is being used effectively and can demonstrate measurable results. Although the Department of Education has not yet collected and reported to Congress the State drug incidence and prevalence data as required in the No Child Left Behind Act (Sections 4116 and 4122) and as directed in the FY 2006 Labor, Health and Human Services and

Education Report language, many states have exercised due diligence and collected the data and information on their programs. For example:

- Alabama Reported decreases among sixth to 11<sup>th</sup> graders in alcohol use, illicit drug use and marijuana use. Among these students, 30 day use of marijuana decreased at a rate of 1.2%, from 16.8% in 2003 to 16.6% in 2004. Thirty-day alcohol use also decreased among sixth to 11<sup>th</sup> graders at a rate of 1.3%, from 45.7% in 2003 to 45.1% in 2004.
- Alaska Reported a decrease of 54% among Alaska high school students reporting having ever used inhalants from 22.2% in 1995 to 10.2% in 2003. Reported a decrease of 19% among Alaska high school students reporting having had at least one drink of alcohol in the past 30 days from 47.5% in 1995 to 38.7% in 2003.
- California Reported a decrease of 71% among 7th graders reporting binge drinking (five or more drinks in a row) in the past 30 days from 10% in the 1997-1998 school year to 2.9% in the 2001-2002 school year. Reports a decrease of 31% among 11th graders reporting having used inhalants in the past 30 days from 5.8% in the 1997-1998 school year to 4.0% in the 2001-2002 school year.
- Delaware Reported a decrease of 16% among high school students reporting ever having smoked a cigarette from 74% in 1997 to 62% in 2003.
- Florida Reported a decrease in past 30 day marijuana use among 6th through 12th graders by 11.1% from 14.4% in 2000 to 12.8% in 2003. Similar data obtained from the Monitoring the Future survey from 2003 show that past 30 day marijuana use among 12th graders was 19.9%, which is well above the 12.8% reported by the Florida students.
- Hawaii Reported that the perception of harm associated with the "occasional use of inhalants" among 12th graders was increased by 58% from 48.5% in 1998 to 76.8% in 2002.
- Idaho Reported a 22% reduction in lifetime alcohol use among 8th graders from 49.7% in 1996 to 38.7% in 2002. When compared to the 2002 Monitoring the Future results for lifetime alcohol use among 8th graders, which is 47%, this number is particularly impressive.
- Illinois Reported a decrease of 19.8% among 8th graders reporting past month use of alcohol from 21.2% in 2000 to 17% in 2002, which is below the national average of 19.6% for 8th graders as reported in the 2002 Monitoring the Future survey.
- Indiana Reported a 15.7% decrease in past 30 day marijuana use among 12th graders, down from 23.5% in 2001 to 19.8% in 2003.
- Iowa Reported a decrease of four percentage points in current alcohol use from 1999.
   The largest decrease (5 percentage points) was reported by respondents in the 11th grade (Comparison years 1999 2002).

- Kansas Reported a 54% decrease in past 30 day meth use among 8th graders, down from 2.19% in 1997 to 1% in 2003. These statistics are well below the national average of 1.29%, as reported in the 2003 Monitoring the Future survey.
- Maryland Reported a 47% decrease in past 30 day meth use among 8th graders, down from 1.9% in 1998 to 1.0% in 2002. Similar data from the 2002 Monitoring the Future survey showed that 1.1% of 8th graders reported past 30 day use of meth.
- Kentucky Reported an increase of 29.5% among 12th graders reporting no lifetime use of marijuana from 44% in 2000 to 57% in 2003.
- Maine Reported a decrease of 20% among students in grades 6 12 reporting past month alcohol use from 38% in 1995 to 30.3% in 2002.
- Michigan Reported a 15% decrease among 12th graders reporting past month use of alcohol from 55% in 2001 to 47% in 2002. This is well below the national average for 12th graders of 48.6%, as cited in the 2002 Monitoring the Future survey.
- Minnesota Reported an increase of 11% among middle school students reporting they never smoked and are committed to not smoking from 50.5% in 2000 to 56% in 2002.
- Nevada Reported a decrease of 16% among high school students reporting past use of marijuana from 26.6% in 2001 to 22.3% in 2003.
- New Hampshire Reported a decrease of 10% among high school students reporting past month use of alcohol from 52.5% in 2001 to 47.1% in 2003.
- New York Reported a 22.4% decrease among students reporting past 30 day use of marijuana from 26.7% in 2001 to 20.7% in 2003.
- Ohio Reported that the percentage of youth in grades six through eight who reported using illegal drugs at least once during the past year declined by 21%, from 14.9% in 1998-99 school year to 11.7% in 2002. This decline is far better than the declines experienced nationwide in 2002, which was 16%.
- Pennsylvania Reported a 64% decrease in the number of students violating drug and alcohol school polices from 11% in 1996-1997 to 4% in 2001-2002.
- Utah Reported that the number of 7<sup>th</sup> through 12<sup>th</sup> graders who reported using marijuana in the last 30 days decreased at a rate of 53%, from 11.8% in 1984 to 5.5% in 2003.
- Washington Reported that 25% fewer students reported past 30 day use of marijuana and 21% fewer students reported binge drinking in the past 30 days after participating in

Washington State's Prevention and Intervention Services Program during the 2003-2004 school year.

- West Virginia The West Virginia Safe and Drug Free Schools and Communities program contributed to an 18.9% decrease in past thirty day use of marijuana among 9<sup>th</sup> to 12<sup>th</sup> graders, down from 28.5% in 1997 to 23.1% in 2003. It also contributed to a 13.8% decrease in past thirty day use of alcohol among 9<sup>th</sup> to 12<sup>th</sup> graders, down from 51.5% in 1997 to 44.4% in 2003.
- Wisconsin -- Reported that the number of 12<sup>th</sup> graders reporting lifetime use of inhalants has decreased at a rate of 28.9%, from 14.5% in 2001 to 10.3% in 2003.

For most children, schools serve as one of the only sources of information about the harms of drug use. The costs associated with drug, alcohol and tobacco abuse add 10 percent—or \$41 billion—to the already strained budgets of schools across the nation and has a devastating impact on the educational performance of students. We ask that funding for the State Grants portion of the SDFSC program be a priority as the appropriations process proceeds.

Thank you for considering our views and please do not hesitate to contact us if you have any questions.

Sincerely,

Cleans H Nortan

Mark Sonde

Dan yang

Jan Suts

Pout Expel

and ter.

Oble E. Cilse

Som Davis

Jun Oberster

James Langevin Rick Larsen Mark Foly in I known Ed lase Shit Tieny Show Chalor Wm Lacy Clay Pet Stark Hayd Digget Isten Davis

Son C Porter Ted Strigeland Mule and Dephanistrectu Cidas S. Ashiff Tim Mun ply Stylet hyril Wike Rose Im Jairs Jahren Suler

Stephalelle fes Sam Farr Jim M'Duth By While Kelm Emanuel Ausan Daris the English 2. Buchert Kon Kind nin Van Hollen Seoner Brush psi3. mi Hot Hour Cail Megaline Janua L Javis Millaborerombie grece J. Napolitano John the Monie gantelate. C.A. Dokh Ruppersberge

hife Mahent Am 12-Dalue Horley Chaha fattah Major K. Owens Carolyn B. Malrey Sonald Payne She to fre BISL Maer / Cum

Bill bascrell gr Serie Je flagson Johnbonyen Ze. La Alda Stol Bu ( orine From Such Rahal Etjah E. Tunnings Ed Burs.

Mile Dyle in had En blim & Kardallo

Both Meller	
Both Medler	
Ben Chandler	
Lor Cappa	
·	